

# Hiab Multilift XR Power range hooklifts



Product Brochure



# Designed to keep the wheels rolling

The new Hiab Multilift XR Power range hooklifts for 19 – 41 ton GVW trucks offer a myriad of revolutionary features. The new features, which have been designed and tested in close cooperation with the users, facilitate the daily tasks of a load handling professional.

What gives the Hiab Multilift XR Power range hooklifts true versatility and makes them experts on all demountable load handling operations is the state-of-the-art PLC-operated (Programmable Logic Controls) control system, which controls the hooklift's functions. Thanks to PLC it is possible to add a number of new, unique functions to the hooklift to ease the daily load handling tasks. The extremely reliable control system provides a one of a kind simplicity in demountable body handling through the combination of automatic and manual control, as well as comfortable and fast operation. All new options are easily accessible from one cabmounted control unit. The PLC system allows you to benefit from minimum downtime, fast operations and maximum safety regardless of the load. Its built-in intelligence leads to improved performance and profitability, and provides the operator with tools for life cycle and maintenance analyses. And it looks smart in the cab, too: the modern and ergonomic control box was specially designed and developed for the Hiab Multilift XR range of hooklifts.

# Get hooked on lifting!

#### Freedom of choice

No matter if you are driving bulky materials, high-volume waste, gravel or metal scrap you can always choose the right combination of options. All options can be chosen independently, regardless of other choices. Consider this as a personal freedom to decide which new features suit the best for your load handling purposes. Even with the basic equipment you can still enjoy all the familiar Hiab Multilift characteristics, such as 2-speed controls, automatic soft lowering of the container onto chassis and flotation of the main cylinders - not to mention high reliability thanks to strong and well-proven construction.



#### **Options**



#### **Automatic sequence control**

Operating a hooklift couldn't get easier! With the new Automatic sequence control loading or unloading the container takes place through just one control movement. Yet again, you have the possibility to switch between automatic/manual control in situations when individual movements are needed.

#### Fast speed and Fast tipping

Shift into a new gear in load handling operations. The improved Fast speed in unloading empty containers splits the time used for container change. With this additional speed you give a boost to your performance and maintain the control over the load while lowering the container. Fast speed in unloading empty containers is especially helpful when there are many container changes during the day. On the back of the Fast speed option is Fast tipping, this option allows the hooklift to tip the load in a third of the normal time, helping to reduce the cycle time for one of the most common operations of a hooklift system.



#### Friction relief

No more grating noise when the container is sliding into the transport position. With the help of Friction relief the front of the body is slightly lifted during horizontal movement. This reduces friction between loaded container and hooklift's subframe guaranteeing a quieter and smoother operation.



#### **Factory fitted accessories**

Factory fitted accessories include for example control and hydraulics for bogie blocking cylinders or stabiliser roller, control and hydraulics for hydraulic rear underrun bar, trailer hydraulics, tool console and premounted oil tank.



# Get the best performance

#### **Operator comfort**

Give your mind a rest with the new XR power range hooklift. The key features include maximised driver comfort and safety in all operations. Smooth and precise controls guarantee troublefree body handling. A low installation height and a low centre of gravity provide outstanding stability in loading, unloading and tipping the body.

The optional Friction relief offers you even smoother and more silent operation with a loaded container. Softening of rapid movement changes thanks to the new PLC operated control system is included in standard equipment. The lifelong reliability, low costs of ownership and high resale value make Hiab Multilift XR hooklift a smart investment.





Hiab Multilift XR Power range hooklifts are available with three different operating principles.

The **XR S hooklift** features a sliding mechanism that offers a low operating radius during the loading / unloading cycle. The lifting capacities for the XR S models range from 14 to 30 tonnes.

The **XR T hooklift** with tilting horizontal movement has a smartly designed turning pivot point on the hookarm which minimises wearing parts and increases power when moving the hookarm under load. XR T hooklift models are available with lifting capacities ranging from 14 to 26 tonnes

The **XR Z hooklift** combines the advantages of these two models and offers a hookarm that is both sliding and tilting. The lifting capacities for the XR Z models are either 21 or 26 tonnes.



# Even more flexibility with Z-series hooklifts

The new Hiab Multilift XR21Z and XR26Z hooklifts, topped with industry-leading control functions, are designed to maximise the truck's versatility through the hooklifts' ability to handle demountable bodies of various lengths. The XR Z series hooklifts have an extremely low lifting angle during body change, when both sliding and tilting functions are being used, which makes it an ideal solution for low headroom applications.

The XR21Z and 26Z hooklifts bring extra comfort on drawbar trailer operations since transferring the body onto a drawbar trailer or a wagon goes smoothly and effortlessly, almost without lifting the body. A very low operational radius and an optimised tipping angle enable the use of the system for a wide variation of transport tasks. With the help of XR Z, it couldn't be easier to swap the body and go!







#### **Building and construction**

Only the strongest and most reliable equipment can cope with the tough working conditions of the building and construction industry. With a set of new options the XR Power range hooklifts can take care of a variety of different tasks on building sites. For instance if you are using your truck as a dumper for transporting soil or gravel, you can benefit from Fast speed with Fast tipping, which cuts the time used for tipping and lowering the tip by one third compared to normal speed. XR hooklift is a smart solution for cost-effective load handling operations on construction sites.





# Choose the right options for your load handling tasks

#### **Waste and recycling**


Transportation of recyclable materials to reuse as well as waste transportation to a landfill or an incineration plant can cost-effectively be taken care of by a XR Power hooklift system. Typically, there are many body changes in the daily routines of the waste and recycling professionals. Profitability in business can be increased by choosing Fast speed, which gives more speed to body change and automatic control, which facilitates the loading and unloading tasks. Friction relief is best suited for urban areas and grants a silent operation during body change. Make your daily tasks easier and more effective with a Hiab Multilift hooklift system.



#### Fire and rescue services

Hiab Multilift XR Power range hooklifts have proven to be economical and flexible solutions for fire and rescue logistics. One basic vehicle can handle multiple tasks while the body can be changed depending on the situation and needs. One truck can replace several specialised trucks, when the investment will be made instead on a hooklift system and different demountable bodies and containers. Even less-experienced drivers can now easily operate the hooklift thanks to the possibility to switch to automatic control. Flexibility is guaranteed - with lower investments and running costs.





### Technical details

#### Construction

- · High-strength steel
- Extensive use of steel castings to strengthen and simplify the construction
- Automatic tipping and subframe lockings
- Low construction for the new hydraulic body locking, easily interchangeable from inside to outside or vice versa
- 3D design
- Numerous field and fatigue tests to prove the durability and functionality of the steel construction

#### **Controls**

- PLC (Programmable Logic Control)
   -operated control system
- Simple control system structure
- Outstanding reliability
- High endurance against challenging environmental conditions
- 2-speed manual control as standard, automatic sequence control as an option
- Built-in diagnostics to easily locate defective components caused by mechanical damage

#### Installation

- High quality top coat painting at factory as standard
- Bolt-on mounting principle for installing on truck and installing truck accessories
- Modern and convenient CAN-bus installation for control system

#### More payload to transport

There are situations where extra capacity comes in handy:

- when the container is on a lower level than the truck, which leads to a disadvantageous lifting angle for the main cylinders
- when lifting up heavy machinery which are placed in the front of the container
- when the container needs to be pushed onto a drawbar trailer with more payload reserve

By offering extra capacity we guarantee that containers which are poorly loaded can be picked up.

Several options and features have patents pending.

Hiab Multilift equipments meet the demands set forth in EU Machine Directive. We reserve the right for modifications. Illustrations do not always show an equipment in standard version.







# EXPERIENCE NEW LEVELS

MULTILIFT Futura 8 is a lean yet strong skiploader that is ideal for urban use within confined city streets.

Thanks to its EvoLight<sup>TM</sup> construction, you get more payload without compromising strength. That means you can haul more while saving fuel and reducing  $CO_2$  emissions. And its service-friendly design helps you optimise total cost of ownership.

MULTILIFT Futura 8 gives you new levels of productivity for an 8 tonne skiploader. And like the rest of the MULTILIFT Futura family – it is built to perform, today and tomorrow.



# for quicker Return On Investment

The MULTILIFT Futura 8 is purpose-built to be easy on your wallet. It's delivers leading edge skiploader performance, while providing a quicker return on your investment and reducing total cost of ownership.

- Your initial investment is smaller
- Its smaller size makes it easier to carry on a smaller truck
- It consumes less fuel, which also means reduced CO<sub>2</sub> emissions
- In some markets, you may enjoy reduced road taxes
- You don't need to employ operators with a higher certification; you save money



# EasyService<sup>™</sup> for higher uptime

The MULTILIFT Futura 8 is extremely easy to service and maintain, with reduced time for routine checks and accessing key components.

- Service-friendly design to optimise total cost of ownership
- Service points easily accessible
- Wide range of retrofit options
- Hydraulic design concept based on hoses for easy serviceability



#### **Evo**Light<sup>™</sup>

# construction means more payload

The completely redesigned lightweight steel construction of MULTILIFT Futura 8 gives you more payload capacity without compromising strength. That means you can haul more while saving fuel and reducing  ${\rm CO}_2$  emissions.

- Lightweight, high-strength steel construction
- Optimised cylinders
- More payload capacity
- Steel castings to strengthen and streamline construction



# OF PRODUCTIVITY



#### FlexControl™

#### offers freedom of control

FlexControl™ gives you freedom to customise your skiploader — paying only for what you need when you need it, as the modular system makes retrofitting easy. Control options even include the possibility to have outside, in-cab, radio remote controls, or a customised combination.

- Cab, radio, or outside controls
- Fast-speed offload
- Indicative weighing
- Automatic speed control



#### SafetyPlus™

# boosts safety for both operator and surroundings

Safety, both for the operator and surroundings, is paramount for MULTILIFT. The MULTILIFT Futura 8 adds leading-edge safety innovations, such as hydraulic side stops, hydraulic container lock and precise controls combined with safety interlocks.

- Rated lashing points
- Hydraulic side stops
- Hydraulic rear lock
- Manually adjustable and locked container side and front stops
- Pneumatic safety latch for tipping hook



### **BUILT TO PERFORM**

Hiab is the world's leading provider of on-road loadhandling equipment, intelligent services and digitally connected solutions. Hiab's offering encompasses class-leading load handling equipment including HIAB loader cranes, LOGLIFT and JONSERED forestry and recycling cranes, MOFFETT truck-mounted forklifts, MULTILIFT demountables, and tail lifts under ZEPRO, DEL, and WALTCO brands. As the industry pioneer, our commitment is to increase efficiency in our customers' businesses and to shape the future of intelligent load handling.

hiab.com

Hiab is part of Cargotec Corporation.

cargotec.com



Discover how the new MULTILIFT Futura 8 gives you new levels of productivity futura.multilift.com



hiab.com









# A NEW FAMILY OF HOOKLIFT THAT GETS THE JOB DONE

AVAILABLE FOR TWO, THREE AND FOUR AXLES TRUCKS

Our MULTILIFT Optima family now consists of 15-, 20- and 25-ton hooklifts with the ability to work faster and carry more payload than any other hooklift.

With an attractive price for quality, you gain superior value for money.

Quality and safety only MULTILIFT can offer including new features such as:

Controller for main functions and up to four options More Payload from light and strong frames

Add automatic sequence, fast speed, friction relief, hydraulics etc.

Here are just a few of the advancements you gain.

- CapacitySpecific™ design gives you just the capacity you need.
- ValueBuy™ provides an attractive price for
- Fast Performance™ increases your speed in
- EvoLight™ construction means more payload.
- SafetyPlus™ boosts safety for both operator and surroundings.

THE SMART CHOICE BECOMES AN EASY CHOICE

# MULTILIFT OPTIMA FEATURES YOU CAN COUNT ON

#### **NewController more options**

Optima family received an updated controller with one more function to control up to four additional functions.



MULTILIFT Optima is light, lean and tough. The lightweight steel construction gives more legal payload without compromising strength. That means customers can haul more while saving fuel and reducing CO<sub>2</sub> emissions.

**EvoLight**<sup>™</sup> construction means more payload






The key to better business in routine tasks is reliability. With MULTILIFT Optima, you have exactly the functions you need. And they perform with precision clockwork over and over again, without fail.

# CapacitySpecific<sup>™</sup> design gives you just the capacity you need


Optimized for working with predictable, repetitive loads, MULTILIFT Optima gives you dependable performance without going overboard with power that does not apply to your work.





#### SafetyPlus<sup>™</sup> boosts safety for both operator and surroundings

Safety, both for the operator and surroundings, are paramount for MULTILIFT. The new MULTILIFT Optima hooklift provides state-of-the-art safety features.







# ValueBuy<sup>™</sup> provides an attractive price for quality

Every detail of the MULTILIFT Optima upholds the highest performance standards streamlined with exactly the functions you need for fundamental loading tasks. Giving you superior value for money.




## Fast Performance™ increases your spee

increases your speed in operation

Fast tipping and fast speed functions give a significant productivity boost.







## **MAKE YOUR MULTILIFT EVEN BETTER**

Improve function and safety of your MULTILIFT with original accessories. Accessories can extend the versatility of your equipment and enhance its flexibility and earning potential. The range of MULTILIFT accessories are manufactured to the highest quality.

#### Hydraulic underrun bar

The underrun protection bar (URB) is a horizontal bar mounted behind the rear wheels of the trailer. Adjustable hydraulically from truck cabin by the driver. Three different lengths: 810, 950 and 1150. The URB is CE certified



#### **Renefits**

Easy to use, no need for driver to go out and extend the URB. Bolted solution to avoid all welding on a truck → no repaint needed. Use of proper URB. maximizes safety on the road



#### Benefits:

Cost effective. Bolted solution to avoid all welding on a truck → no repaint needed. Use of proper URB maximizes safety on the road.

#### Rear stabilizer roller

The rear stabilizer roller is assembled at the rear of the truck to give more stability when tipping, loading or unloading heavy loads.



#### Aluminium hydraulic tank

horizontal bar mounted behind

Adjustable manually by the driver.

Three different lengths: 810, 950

the rear wheels of the trailer.

and 1150. The URB is CE

Aluminium tanks are perfectly adjusted to our demountables. Tank sizes are 75, 100 and 150 litres.

#### Benefits:

Easy mounting onto every truck chassis with original mounting brackets. Corrosion-free materials.



Truck rear cross member with holes for electric and pneumatic connectors

Truck rear cross member



#### Benefits:

Bolted structure → easy to mount. Available for main truck

#### Mounting plate kits

Components to fit hooklift onto truck chassis.



#### Benefits:

Secure proper installation and reduce the installation time. Fully bolted system means there is no need for painting after installation.

#### By-pass valve for **HIAB** pumps

By-pass valve to be used together with HIAB branded fixed hydraulic pumps.



#### Renefits:

Minimize heat generation in pumps mounted onto engine take-off.

#### Suction connection

Suction connection for HIAB pumps.

#### Renefits:

Facilitate intallation of a HIAB pump.



#### Part of the complete MULTILIFT range



Extra-high performance for a full range of loading tasks with added power for demanding situations and driver assistant functions for

- Sliding (S) movement
- Standard MULTILIFT features



Basic performance covering general demands for a range of demountable tasks.

- 18-22 ton capacity
- Sliding (S) and Tilting (T) movement
- Manual control
- Standard MULTILIFT features



High performance and smart value for money

- 15 25 ton capacity
- · Sliding (S) movement Basic control system
- Low weight, low installation height and high



Versatility and performance for all needs

- 14-30 ton capacity
- Heavy and Low-built models
- Sliding (S) and Sliding/Tilting (Z) movement
- uControl next-generation control system with 3 levels of control · HiVision camera-guided operation on
- Built-in HiConnect functionality
- ProFuture models



When you invest in Hiab equipment, you invest in quality performance to safely and efficiently fulfil your commitments to your customers - every single day.

With Hiab Services, we are here for you throughout your equipment lifecycle, giving the uptime and reliability you need to deliver as promised. With the latest tools, connectivity and a wide network of experts,

we support you whenever and wherever you need us. So you can sleep well at night – every single night.

- **Lifecycle Services**
- Original Parts
- Connected Services
- Financial Services









#### Securina your original investment

Hiab Original Parts ensure that your Hiab product stays a Hiab product. In other words, they give you the same functionality and quality you invested in from the start – essential for optimal performance, maximum safety and avoiding costly downtime. Our parts are manufactured to the highest standards. They are specially designed for our equipment; guaranteeing perfect fit and the quality necessary for top performance.

You'll find Hiab Original Parts for fast order via our Hiab web shop. Our optimized stock and logistics ensure next-day delivery on almost all items, saving you time and cost.

#### **Produce** as planned

Hiab ProCare™ is a flexible service contract designed to secure the uptime of all Hiab equipment. Scheduled and preventive maintenance helps your equipment retain the same high quality you invested in. Using original spare parts and the highest standards, our global service network takes professional care of every piece of your equipment reducing the risk of costly breakdowns and unexpected downtime. Let us take care of all scheduling, maintenance and inspections. By reducing total cost of ownership and increasing the re-sell value of your machine, ProCare brings you total peace of mind. Keep moving to produce as planned and boost your profit.

### **BUILT TO PERFORM**

Hiab is the world's leading provider of on-road load handling equipment. Customer satisfaction is the first priority for us. Hiab's product range includes HIAB loader cranes, JONSERED recycling and forestry cranes, LOGLIFT forestry cranes, MOFFETT truck mounted forklifts and MULTILIFT demountables, as well as DEL, WALTCO and ZEPRO tail lifts.

hiab.com

Hiab is part of Cargotec.

cargotec.com



Discover the hooklift that gets the job done: optima.multilift.com



hiab.com





# THE NEW ERA HA

MULTILIFT hooklifts have long been the market leader when it comes performance and reliability. With options for the full range of basic to extra demanding loading tasks, there has always been a MULTILIFT to fit any need.

But it's not enough just to be the best. That is why we are taking hooklift technology further


than ever before. Prepare to meet MULTILIFT Ultima: the next generation of hooklifts.

MULTILIFT Ultima is engineered with radical innovations that ensure greater control, safety and productivity in any loading duty. From HiVision™ camera-guided functions and advanced connectivity, to a unique integrated weighing system and intuitive



# ARRIVED

touchscreen controls, Ultima represents a new era for load handling – and for your business.



# MULTILIFT ULTIMA PION HOOKLIFT INNOVATIONS

MULTILIFT Ultima is designed to help you get more done with total confidence in the safety of your operators and the surrounding area. It is all thanks to innovative features that combine the powerful strength of a MULTILIFT with a never-before-seen level of control.

#### HookliftAssist<sup>™</sup>

Discover enhanced productivity thanks to HookliftAssist™: groundbreaking camera-guided control based on Hiab's proven HiVision™ technology. HookliftAssist™ provides exactly the level of functionality that your loading task requires, with four different levels designed to meet a range of needs.









#### SafePositioning™

The automated MULTILIFT SafePositioning™ detection system safely slides containers into a pre-set position based on their length. This state-of-the-art feature\* ensures your containers fit optimally and protects other equipment installed on the trucks, such as cranes.





#### Integrated Load Weighing

Expensive, third-party indicative weighing solutions are a thing of the past. MULTILIFT Ultima comes with everything needed to maximize your payload while avoiding the risk of overload charges. MULTILIFT's unique system\* calculates weight during the loading process, so you can work even more efficiently than before.






# **EERING**



#### LoadBoost™

The intelligent Hiab LoadBoost™ system with protective damping automatically adapts hooklift speed according to the weight of the load, so you get maximum productivity without putting safety at risk.





#### FutureTouch™ Display

Take control to new heights with options for a 7-inch advanced touchscreen display. Steer everything with just one finger, while accessing diagnostic messages, load indicator and weight information and more from a single, convenient unit.





#### Sequence Performance™

Thanks to Ultima's automatic sequence control, a single lever movement is all that's needed for loading, unloading and tipping. It's never been faster, smoother or easier. Also take advantage of MULTILIFT's unique, optimized hook height loading/unloading sequence with z-unit.



#### Connectivity

Ultima is designed to give your business a future-proof solution. Your hooklift comes fully ready for connectivity, so you have unlimited possibilities to adapt to tomorrow's demands.





#### EasyService™

Ultima means ultimate uptime, with a hooklift that is simple to service and maintain. Key components are easy to access and routine checks can be performed with lightning speed. The ability to receive diagnostic reports also gives you the information you need to create the optimal service schedule.



# **CONTROL ON YOUR TERMS**

MULTILIFT Ultima represents a new era of hooklift control, thanks to the launch of Hiab's uControl platform. With three new control system options, uControl provides a smarter solution for a wide range of modern loading tasks.

#### uControl Base

With our standard control box, you have the right tools at your fingertips to perform your every-day tasks with total ease and safety. You also have the option to integrate connectivity and enhance your performance in line with today's latest solutions.

#### **uControl Flex**

When you need to be ready for what tomorrow holds, uControl Flex has you covered. This system gets you started with a range of new, smart control features, while also giving you options for further possibilities in the future. uControl Flex can be configured with optional connectivity as well as a basic screen or the advanced FutureTouch<sup>TM</sup> display.

#### uControl Pro

For jobs where professional control is critical, uControl Pro is the obvious choice. Fully loaded with the best innovations from Hiab, it comes ready for connectivity and includes a basic display as standard. The advanced Hiab FutureTouch™ display can also be installed as an option.












#### Part of the complete MULTILIFT range

MULTILIFT Ultima is just the latest in a long series of pioneering load handling solutions from Hiab. To learn more about the complete range of MULTILIFT hooklifts and skiploaders, visit hiab.com or contact your local dealer.





When you invest in Hiab equipment, you invest in quality performance to safely and efficiently fulfil your commitments to your customers – every single day.

With Hiab Services, we are here for you throughout your equipment lifecycle, giving the uptime and reliability you need to deliver as promised. With the latest tools, connectivity and a wide network of experts,

we support you whenever and wherever you need us. So you can sleep well at night – every single night.

- **Lifecycle Services**
- Original Parts
- **■** Connected Services
- Financial Services





# SURLY TO PERFORM



## Securing your original investment

Hiab Original Parts ensure that your Hiab product stays a Hiab product. In other words, they give you the same functionality and quality you invested in from the start – essential for optimal performance, maximum safety and avoiding costly downtime. Our parts are manufactured to the highest standards. They are specially designed for our equipment; guaranteeing perfect fit and the quality necessary for top performance.

You'll find Hiab Original Parts for fast order via our Hiab web shop. Our optimized stock and logistics ensure next-day delivery on almost all items, saving you time and cost.

# Produce as planned

Hiab ProCare™ is a flexible service contract designed to secure the uptime of all Hiab equipment. Scheduled and preventive maintenance helps your equipment retain the same high quality you invested in. Using original spare parts and the highest standards, our global service network takes professional care of every piece of your equipment reducing the risk of costly breakdowns and unexpected downtime. Let us take care of all scheduling, maintenance and inspections. By reducing total cost of ownership and increasing the re-sell value of your machine, ProCare brings you total peace of mind. Keep moving to produce as planned and boost your profit.

### **BUILT TO PERFORM**

Hiab is the world's leading provider of on-road loadhandling equipment, intelligent services and digitally connected solutions. Hiab's offering encompasses class-leading load handling equipment including HIAB loader cranes, LOGLIFT and JONSERED forestry and recycling cranes, MOFFETT truck-mounted forklifts, MULTILIFT demountables, and tail lifts under ZEPRO, DEL, and WALTCO brands. As the industry pioneer, our commitment is to increase efficiency in our customers' businesses and to shape the future of intelligent load handling.

hiab.com

Hiab is part of Cargotec Corporation.


cargotec.com



To learn more about MULTILIFT ULTIMA visit multilift.com



hiab.com





# MULTILIFT XR 7S



# THE NEW GIANT OF SMALL HOOKLIFTS

MULTILIFT XR 7S, a member of our XR family, turns your 10-12 tonne GVW truck into a real multitasking vehicle. The MULTILIFT XR 7S lets you give your light commercial vehicle extra tasks. Simply swap the body and go.

### Small in size but a giant in performance

The MULTILIFT XR 7S utilises a low hook height of 930 mm and offers great lifting performance with full functionality for mounting and demounting the body and for tipping. Easy control and smooth movements make transporting machinery child's play. Tipping goods is also simple because fast and reliable operation is a guaranteed feature.

### Increased versatility and larger payloads

Using the latest 3D-CAD methods and modern production technology to design and manufacture the XR Light-Range, we have minimised the welding needed in construction to give you a stronger structure. The exceptional low weight to high strength ratio enables larger payloads, enhances the versatility of the vehicle and maximises its rentability.

#### Safety is key

As in all MULTILIFT demountables, safety is a key priority in the XR-series. Safety features include load-holding valves directly on the cylinders and a tipping lock mechanism. The XR-series meets all the minimum requirements of the EU's Directive on the Safety of Machinery.

#### **Technical data**


Туре		XR 7S			
Capacity (kg)	7000				
Gvw of the vehicle (t)	10 / 12				
Container length (internal) (m)	3.0 - 4.0	3.5 - 4.5	4.0 - 5.0		
G-length (mm)	3250	3650	4150		
Equipment weight (kg)	930	960	990		
Tipping angle (°)	50				
Hook height (mm)	930				
Body level (mm)	220				
Max. operating pressure (mpa)	30				
Recommended oil flow (I/min)	35				



P-XR7S-EN-WW\_151207



# Hiab Multilift XR 8S XR Medium range hooklifts



Product brochure

### A light expert for big containers

The Hiab Multilift XR 8S offers maximum productivity in a small package. The hook height of 1450 / 1570 mm gives you a wide range of transportation options while the lifting capacity of 8,000 kg masters loads easily and comfortably.

#### Never carry an empty load

In addition to the normal tasks demountables perform, the XR 8S, is a utility expert in tipping or transporting. Tipping is guaranteed to be simple with fast and reliable operation. But its functionality is in eliminating empty return trips with a dual capacity to transport light containers or machinery to new destinations.

Together with easy control and smooth movements it is a most cost effective method of dealing with your load.

#### Increased versatility and greater payloads

We used the latest 3D-CAD methods and modern production technology to design and manufacture this new range, which minimised the welding needed in construction and resulted in a stronger structure. The exceptional low weight / high strength ratio enables larger payloads, enhances the versatility of the vehicle and maximises its rentability.

#### Safety the priority

As in all Hiab Multilift demountables, safety is a key priority in the XR-series. Safety features include load-holding valves directly on the cylinders and a tipping lock mechanism. The XR-series meets all the minimum requirements of the EU's Directive on the Safety of Machinery.

#### **TECHNICAL DATA**

ТҮРЕ	XR 8S			
CAPACITY (kg)	8,000			
GVW OF THE VEHICLE (t)	12 / 14			
CONTAINER LENGTH (internal) (m)	3.0 - 4.0	3.5 - 4.5	4.0 - 5.0	
G-LENGTH (mm)	3250	3650	4150	
EQUIPMENT WEIGHT (kg)	980	1010	1040	
TIPPING ANGLE (°)	50			
HOOK HEIGHT (mm)	1450 / 1570			
BODY LEVEL (mm)	220			
MAX. OPERATING PRESSURE (MPa)	30			
RECOMMENDED OIL FLOW (I/min)	35			







# Hiab Multilift XR 10S XR Medium Range Hooklifts



Product brochure

### More payload with optimised design

Strong, robust and exceptionally light - a contradiction in terms but Hiab Multilift XR 10S, the latest addition to the Hiab Multilift XR hooklift family, is all that and much more! With XR 10S you can carry bigger payloads and get a quick return on your investment.

#### More power to your business

The new Hiab Multilift XR 10S with 10 tonne lifting capacity offers you maximum performance and unparalleled functionality. The equipment's low weight combined with extreme strength make it an ideal tool for all your purposes. Make the most of your truck by fitting it with an XR 10S - add a Hiab crane to further enhance your productivity. Carry demountable bodies up to 6 metres long and handle bigger payloads more safely and more reliably than ever before.

#### Safety the priority

As in all Hiab Multilift demountables, safety is a key priority in the XR-series. Safety features include load-holding valves directly on the cylinders and a tipping lock mechanism. The XR-series meets all the minimum requirements of the EU's Directive on the Safety of Machinery.

#### Increased versatility and larger payloads

We used the latest 3D-CAD methods and modern production technology to design and manufacture this new range, which minimised the welding needed in construction and resulted in a stronger structure. The exceptional low weight / high strength ratio enables larger payloads, enhances the versatility of the vehicle and maximises its usage.

#### **TECHNICAL DATA**

ТҮРЕ	XR 10S						
CAPACITY (kg)	10,000						
GVW OF THE VEHICLE (t)	15						
CONTAINER LENGTH (internal) (m)	3.0 - 4.0	3.5 - 4.5	4.0 - 5.0	4.0 - 5.5	4.5 - 6.0		
G-LENGTH (mm)	3250	3650	4150	4600	5100		
EQUIPMENT WEIGHT (kg)	990	1040	1070	1110	1150		
TIPPING ANGLE (°)	50						
HOOK HEIGHT (mm)	1450/1570						
BODY LEVEL (mm)	220						
MAX. OPERATING PRESSURE (MPa)	30						
RECOMMENDED OIL FLOW (I/min)	35 - 50						



We reserve the rights for modifications. Illustrations do not always show an equipment in standard version.

